

The logo for JCC, consisting of the letters 'JCC' in a bold, italicized, sans-serif font. The letters are white with a slight gradient and shadow effect, giving them a three-dimensional appearance. The background is a dark purple with a pattern of glowing white dots of varying sizes, some of which are blurred to create a bokeh effect.

Lighting for **today**, designs for **tomorrow**

Floodlights & Spotlights

www.jcc-lighting.co.uk

Product	Page
<i>Ortillo LED Spotlight</i>	144
<i>Ortillo LED Striplight</i>	145
<i>Wilora Submersible Light</i>	146
<i>Celest LED Wall & Spike</i>	147
<i>Elegenti LED Garden Kit</i>	148
<i>Cannes Garden Spotlights</i>	149



Ortillo LED Spotlight

- Mains voltage outdoor colour changing LED spotlight
- LED luminaire for constant wall washing
- No transformer required
- 50,000 average lamp life
- Remote included
- 12 x 1W LEDs



JC71119

LED available in:



RGB MIX

Finishes

Black (textured)




Classification

IP65 240V

Construction


Body: Die-cast aluminium



Code:	Description:	Total Wattage:
JC71119	Low energy RGB colour changing LED spotlight c/w remote control unit	12W

Ortillo LED Striplight

LED available in:



Finishes

Black (textured)



Classification



Construction

Body: Die-cast aluminium



Linear LED luminaire for constant wall washing
 No transformer required
 Colour changing version available
 Pre-wired, 3 core, 1m flex
 Black textured finish
 Lights up to two metres

JC71118



JC71117



145



The head of the fitting can be rotated in both directions

Code:	Description:	Total Wattage:
JC71117	Mains voltage RGB colour changing low energy LED linear striplight	18W
JC71118	Mains voltage white low energy LED linear striplight	18W



Tel: 01243 838999 | www.jcc-lighting.co.uk
 Fax: 01243 838998 | email: sales@jcc-lighting.co.uk



Lighting for today, designs for tomorrow

Wilora Submersible Light

IP68 rated adjustable submersible light (up to 1m max)

Ideal for highlighting aquatic features

Available in three LED colours

Durable stainless steel construction

Suitable for exterior and zone 1 interior applications providing driver

JC4100 is encased within an appropriate IP rated box

Can be run on either JC4100 or JC4023 LED drivers

▼ JC71254




146

See page 152 for more driver info

Code:	Description:	Total Wattage:	Max Fittings Per Driver:	
			JC4100 (IP20)	JC4023 (IP65)
JC71254	LED submersible light white	3W	3	3
JC71255	LED submersible light red	3W	3	3
JC71257	LED submersible light blue	3W	3	3

LED available in:



Finishes

Stainless steel




Classification

IP68 350mA

Construction

Body: Stainless steel

Series



Celest LED Wall & Spike

LED available in:




Finishes

Anthracite





Classification



Construction

Body: Die-cast aluminium

Lamp not included



A choice of wall mounted or spike IP65 rated fittings

Weather resistant finish

Takes Micro-Lynx LED lamps available to order separately in a range of colours

50,000 hours average lamp life

Matching recessed wall fitting available on page 122



JC89020



* Supplied with prewired flex cable and in-line IP68 connector

Code:	Description:	Total Wattage:
JC89020	LED round LED surface wall light	
JC89021*	LED round LED spike light	
LP00107	Blue GX53 LED lamp	1.5W
LP00108	Red GX53 LED lamp	1.5W
LP00109	Green GX53 LED lamp	1.5W
LP00110	White GX53 LED lamp	1.5W



Elegenti LED Garden Kit

Decorative outdoor LED kits for garden areas
Pre-wired for plug and play installation



LED available in:



Finishes

Aluminium




Classification



Construction

Body: Spun aluminium
Transformer & connector supplied

148



Code:	Description:	Total Wattage:
JC71112	Low voltage LED spotlight on spike 3-light kit white	1W per head
JC71113	Low voltage LED spotlight on spike 3-light kit blue	1W per head
JC71114	Low voltage LED spotlight on spike 3-light kit green	1W per head



Lighting for today, designs for tomorrow

Tel: 01243 838999
Fax: 01243 838998

www.jcc-lighting.co.uk
email: sales@jcc-lighting.co.uk



Cannes Garden Spotlights

LED available in:



Finishes

Silver-grey




Classification

Driver: 240V

Heads/JB: SELV

Construction

Body: Extruded aluminium



Elegant LED spotlights for garden lighting

Spike mounted spotlight

3 x 1W high power LEDs

Comes without driver unit and connection system

Driver JC4100 must be encased within a suitable IP rated box

Silver-grey finish



See page 152 for more driver & accessory info

Code:	Description:	Total Wattage:	Max Fittings Per Driver:	
			JC4100 (IP20)	JC4023 (IP65)
JC46043	White LED low energy single garden spike	3W	2	2
JC46044	Blue LED low energy single garden spike	3W	2	2
JC46045	Green LED low energy single garden spike	3W	2	2
JC46046	White LED low energy double garden spike	6W	1	1
JC46047	Blue LED low energy double garden spike	6W	1	1
JC46048	Green LED low energy double garden spike	6W	1	1
JC4023	Remote driver and connection system IP65 10W			
JC4024	3 way connection box IP68			
JC4025	2m cable lead			
JC69000	IP68 single connector			



Tel: 01243 838999
Fax: 01243 838998

www.jcc-lighting.co.uk
email: sales@jcc-lighting.co.uk



Lighting for today, designs for tomorrow